

**Model 40001 AIR AMPLIFIER SIZE 1 1/4"**  
**AIR FLOW CHART**

Distance from  
Outlet

36" (914mm)

24" (609mm)

12" (305mm)

AIR FLOW →

Diameter of  
Flow  
Pattern


Ø6" (Ø152mm)


Ø8" (Ø203mm)

Ø10" (Ø254mm)

**Model 40002 AIR AMPLIFIER SIZE 2"**

**AIR FLOW CHART**





<b>GİRİŞ BASINCI</b>	<b>40000/40000S</b>	<b>40001/40001S</b>	<b>40002/40002S</b>	<b>40003/40003S</b>
<b>20 PSIG</b>	11000	11000	6500	2800
(1.4 BAR)	(55.88)	(55.88)	(33.02)	(14.224)
<b>40 PSIG</b>	16500	17000	11000	4500
(2.8 BAR)	(83.82)	(86.36)	(55.88)	(22.86)
<b>60 PSIG</b>	18000	21000	14500	5900
(4.1 BAR)	(91.44)	(106.68)	(73.66)	(29.972)
<b>80 PSIG</b>	21000	24000	17500	6900
(5.5 BAR)	(106.68)	(121.92)	(88.9)	(35.052)
<b>100 PSIG</b>	23500	26000	20500	7500
(6.9 BAR)	(119.38)	(132.08)	(104.14)	(38.1)
<b>120 PSIG</b>	25000	27000	22500	7950
(8.4 BAR)	(127)	(137.16)	(114.3)	(40.386)