



## Force In Oz (gm) at 12" (300mm) From Target



MODEL : 47001, 47002, 47003, 47003S, 47003S-316L, 47004, 47004S, 47004S-316L, 47009, 47009S, 47009S-316L NOZZLE




MODEL : 47010 NOZZLE


### AIR NOZZLES

PART NO.	DESCRIPTION
47004AMF	Cast Zinc high force/air efficiency Air Mag™ nozzle - 1/4" female NPT or BPS
47001	Brass Mini Nozzle with 10/32 fitting or metric equivalent
47002	Brass Mini Nozzle with copper tube - male
47003	Standard Aluminum 1/8" NPT or BPS male fitting
47003S	Standard 303/304 Stainless Steel 1/8" NPT or BPS male fitting
47003S-316L	Standard 316L Stainless Steel 1/8" NPT or BPS male fitting
47004	Extra Strong Aluminum 1/4" NPT or BPS male fitting
47004S	Standard 303/304 Stainless Steel 1/4" NPT or BPS male fitting
47004S-316L	Standard 316L Stainless Steel 1/4" NPT or BPS male fitting
47009	Adjustable Aluminum Nozzle with 1/8" male NPT or BPS fitting
47009S	Standard 303/304 Stainless Steel 1/8" NPT or BPS male fitting
47009S-316L	Standard 316L Stainless Steel 1/8" NPT or BPS male fitting
47010	X-Stream™ Anodized Aluminum Strong force Nozzle with 1/4" female NPT or BPS fitting

## Force In Oz (gm) at 12" (300mm) From Target



MODEL : 47001, 47002, 47003, 47003S, 47003S-316L, 47004, 47004S, 47004S-316L, 47009, 47009S, 47009S-316L NOZZLE



MODEL : 47010 NOZZLE

Model	Tanım	Hava Tüketimi @ 80 psig	Ons Olarak Kuvvet	Gram Olarak Kuvvet
47001	10/32 bağlantı parçası veya metrik eşdeğerli Piriç Mini-Nozul	6.0	5.0	142
47002	Bakır boru-erkek ile Piriç Mini-Nozul	6.0	5.0	142
47003 (alüminyum) 47003S (303/304 paslanmaz) 47003S-316L (316L paslanmaz)	Standart alüminyum 1/8" erkek NPT bağlantı parçası	11.2	8.0	227
47004 (alüminyum) 47004S (303/304 paslanmaz) 47004S-316L (316L paslanmaz)	Ekstra güçlü alüminyum 1/4" erkek NPT bağlantı parçası	24.0	21.0	596
47009 (alüminyum) 47009S (303/304 paslanmaz çelik) ve Model 47009S-316L (316L paslanmaz)	Ayarlanabilir alüminyum nozul ile 1/8" erkek NPT bağlantı parçası	Maksimum 24.0	Maksimum 23.0	653
	Minimum ve maksimum ayarlanmış ayar vidası ile	Minimum 13.0	Minimum 13.0	369
47010	X-stream Güçlü kuvvet nozulu ile 1/4" dişi NPT bağlantı parçası	21.2	24.5	695
47004AMF	Air Mag™ Nozul ile 1/4" dişi NPT bağlantı parçası	15.5	15.0	425
47011-4	Air Edger™ Düz Jet ile .004 boşluk ayarı	20.5	12	340